

SECTION IV DIMENSIONAL AND DENSITY REQUIREMENTS

4.1 GENERAL REQUIREMENTS No building or structure shall be erected, enlarged or moved nor shall any use be authorized or extended nor shall any existing lot be changed as to size except in accordance with the Table of Dimensional Requirements, Section 4.2, or in accordance with Section VIII for subdivisions of land for residential uses, as applicable, unless modified elsewhere in this Ordinance.

4.2 TABLE OF DIMENSIONAL REQUIREMENTS The TABLE OF DIMENSIONAL REQUIREMENTS shall apply for all lots, uses of land, and developments within the various districts, except for subdivisions of land for residential uses subject to the provisions specified in Section VIII, unless modified by other Sections of this Ordinance. See Explanatory Notes in Section 4.3 for footnoted items.

TABLE OF DIMENSIONAL REQUIREMENTS									
Districts	Minimum Lot Dimensions ^a			Minimum Setback Dimensions ^a					
	Area (SF)	Continuous Frontage ^h	Depth	Front	Side	Rear	Max. Height of Structure	Max. % Bldg. Cvge./Lot	Min. % Open Space/Lot
R-4 ^b	120,000	300	200	60	30	60	35	20	70
R-3 ^b	120,000	300	200	60	30	60	35	20	70
R-2 ^b	80,000 ^d	250	140	40	20	40	35	30	30
R-1 ^b	60,000 ^e	160	120	30	15	40	35	30	30
R-1 ^c (other than residential)	15,000	100	100	25	15	40	35	30	50
B-1 ^{c j}	15,000 ^f	80	80	30	15	40	35	40	30
M-1 ^{c j}	110,000	250	300	50	40 ⁱ	50	45	40	30
VR-1 ^c	15,000 ^f	80	80	30	15	40	35	40	30
VB-1 ^k	7,500 ^g	50	100	0	10	10	35	60	20
VM-1 ^{c k}	55,000	150	200	25	25	25	35	50	30

Residential/Agricultural (R-4), Low-Density Residential (R-3), Medium-Density Residential (R-2),
High-Density Residential (R-1), Commercial (B-1), Industrial (M-1), Village High-Density Residential (VR-1),
Village Commercial (VB-1), Village Industrial (VM-1)

4.3 EXPLANATORY NOTES The following explanatory notes shall provide further definitions for the footnoted items in Table 4.2.

- (a) All measurements are in feet unless otherwise noted.
- (b) These dimensions shall not apply to Conservation Subdivisions. See Section VIII, Conservation Subdivisions, for applicable dimensional requirements.
- (c) When the footnoted commercial or industrial uses abut residential uses or a residential district, the applicant must demonstrate compliance with the requirements of subsection 4.7, Buffer Standards for Nonresidential Uses.
- (d) 80,000 sq. ft. + 16,000 sq. ft. for each dwelling unit more than one on a lot.

SECTION IV DIMENSIONAL AND DENSITY REQUIREMENTS

- (e) 60,000 sq. ft. + 8,000 sq. ft. for each dwelling unit more than one on a lot.
- (f) 15,000 sq. ft. + 2,000 sq. ft. for each dwelling unit more than one on a lot.
- (g) 7,500 sq. ft. + 2,000 sq. ft. each dwelling unit more than one on a lot.
- (h) The minimum lot width at the front yard setback line shall not be less than 85 percent of the minimum lot frontage required for the District. The frontage on a road at a cul-de-sac may be less than specified if the lot width at the depth of the front yard setback line meets the minimum lot frontage requirements, but in no event less than 30 feet.
- (i) For residential use only in the M-1 district the sideline setback shall be 30 feet.
- (j) In the B-1 and M-1 districts, the maximum gross floor area of commercial retail stores and restaurants shall not exceed 40,000 square feet.
- (k) In the VB-1 and VM-1 districts, the maximum gross floor area of commercial retail stores and restaurants shall not exceed 20,000 square feet.

4.4 SPECIAL DIMENSIONAL AND DENSITY CONDITIONS The following special conditions shall apply as appropriate to this Section of this Ordinance.

4.4.1 Detached Accessory Building: In all districts, a detached accessory building shall conform to the following provisions:

- (a) It shall not be less than the front setback for the district or less than 10 feet from any other lot line or from any principal or accessory building.
- (b) It shall not exceed 20 feet in height unless the accessory is placed to comply with principal building setback, in which case it will conform to the height restriction of the district.

4.4.2 Attached Accessory Building: In all districts, an accessory building attached to the principal building shall be considered as an integral part therefore and shall be subject to front, side, and rear yard requirements applicable to the principal building.

4.4.3 Principal Structure: Except for municipal facilities and public utilities, only one principal structure/principal use shall be permitted on a lot, except as noted in Section VIII Conservation Subdivisions, Section XIX Commerce and Community Overlay District, and in this Section.

In the B-1 and M-1 districts, there may be multiple principal nonresidential structures and/or uses within structures so long as each use is listed as a permitted (P) use or use permitted by special exception (S) in 3.6 TABLE OF USES. In the VB-1 and VM-1 zones, there may be multiple principal structures and uses within structures so long as each use is listed as a permitted (P) use or use permitted by special exception (S) in 3.6 TABLE OF USES. Nothing herein shall be construed to preclude compliance with the requirements set forth in Section 15.8.2, Special Exceptions, of this Ordinance.

4.4.4 Corner Lot: A corner lot shall have minimum street yards and depths, which shall be the same as the required front yard depths for the adjoining lots.